



# Contents

Liebherr Group	
Quality	
Freshness technology	
Comfort & flexibility	1
Design	]
Performance in balance	1
Accessories	]
Freestanding appliances	1
Fully integrated appliances	3
Wine cabinets	5
Liebherr Barrique	7
Design and lifestyle	8

Liebherr Group

# Global success: The Liebherr Group.

Liebherr is a third-generation, family-owned company founded in 1949 by Hans Liebherr with his ground-breaking invention of the world's first mobile tower crane.

With over 70 years of success, Liebherr is known as a pioneer in high-quality, breakthrough innovations and countless cutting-edge technologies in numerous industries. One of the world's largest manufacturers of construction machinery, Liebherr has expanded its broadly diversified portfolio to 13 product segments including earthmoving, deep foundation machines, mobile and crawler cranes, tower cranes, concrete technology, material handling technology, mining, maritime cranes, aerospace and transportation systems, gear technology and automation systems, components, hotel, and refrigeration and freezing. The company currently employs about 48,000 people in more than 140 companies in over 50 countries worldwide.













Liebherr-Hausgeräte – Specialists in refrigeration and freezing.

Liebherr-Hausgeräte covers the full range of refrigeration and freezing for domestic and commercial use. Headquartered in Germany, Liebherr-Hausgeräte has an impressive range of more than 3,000 products in its portfolio.

Quality

# Before we think about fridges, we think about you.

Fridges are supposed to cool. But what else should modern appliances be capable of today? How can they better meet customer needs? How can their design be more efficient, intuitive and modern?

We think about all these questions every day, because for us a fridge is not just an appliance. Instead, it should be a partner who supports us where it can ... who thinks in harmony with us, takes on tasks and makes work easier. In order to achieve this, we are constantly developing our appliances. Because the smarter and more helpful they are, the more time you have for all the other important things in life.

#### Achieving the highest quality is our standard.

We have been manufacturing high-quality fridges and freezers and selling them around the world since 1954. Yet at heart we are still a family business and have our roots firmly based in Germany. We continue to develop our products here. German engineering – from an enduring connection with our founder and in the knowledge that engineering expertise has been pooled here for generations.

#### Built to last.

You can experience our quality standards in the smallest of details. For example, before a door hinge is approved by us, it must pass through at least 100,000 opening cycles. This corresponds to a usage period of more than 15 years. We also test all other functional parts to ensure that they can last just as long. We have leveling bars to ensure that your fully integrated appliance works perfectly over this long period and stands firmly in place, even when the wood in the kitchen unit settles. They harmoniously compensate for any unevenness between the floor and the appliance, so that the fridge door always closes tightly. It may sound simple, but this is crucial for avoiding condensation and increased energy consumption.

And if, contrary to expectations, a small detail no longer meets your requirements, you or your expert service partner can usually correct it quickly, because all of our appliances are extremely easy to repair. We keep all essential spare parts in stock for well over 10 years. This saves you money for minor repairs or the purchase of a new appliance – and it is also sustainable.

#### We don't just say it. We also guarantee it.

During production, we take a very close look at all of our fridge components and test them far more thoroughly and more often than required by law – right up until the packaging stage. Only then may our appliances take a little rest. All our production sites are certified according to international ISO 9001 standard for quality and ISO 14001 standard for environmental management. Therefore it is wholly natural for us to guarantee you that for at least two years our products will be free of material and manufacturing defects and are particularly easy to install.

One thing is certain in any case: Your Liebherr will be reliable companion for a very long time.







# Taste that stands the test of time: Freshness is a question of technology.

Storing groceries in ideal climatic conditions not only ensures extra-long freshness and storage time, it also makes a substantial contribution to avoiding food waste. With our appliances this is possible – thanks to the perfect combination of integrated freshness technologies.

#### DuoCooling. No drying out.

Our basic technology in all fridge-freezers is called DuoCooling. Thanks to two completely separate refrigeration circuits, it ensures that there is no exchange of air between the fridge and freezer compartments. The food neither dries out nor are odours transferred – so that only the Camembert smells and tastes like Camembert.

#### EasyFresh. Ideal for fruit and vegetables.

The freshness guarantee in your Liebherr fridge. Unpacked fruit and vegetables feel right at home here. At the same temperature as in the fridge compartment and air-tight, lettuce, for example, remains crisp and fresh even after 10 days.

#### BioFresh. Our all-rounder.

With our patented BioFresh technology, food is stored at a much cooler temperature than in the rest of the appliance. At temperatures just over 0 °C and with perfect humidity, BioFresh offers the ideal storage conditions. The air-tight Fruit & Vegetable safe is the ideal environment for fresh produce. Meat, fish and dairy products are in good hands in the Meat & Dairy safe.

#### BioFresh Professional. Refrigerate like the professionals.

A special innovation can be found in the BioFresh Professional and the brand new HydroBreeze feature. Every time the door is opened and after every 90 minutes, a fresh, cold mist is produced, covering fruits and vegetables like a balm to ensure crisp freshness and giving them a nice wow effect.

#### Fresh. Sustainable. Healthy.

The storage climate: We could write so much about it. To put it briefly, there are three main reasons that motivate us to keep perfecting it. First: An ideal climate contributes to keeping your food fresh for longer. You can enjoy it fresh for longer. Second: This prevents unnecessary food waste and means you have to go shopping less frequently. Three: Optimal storage helps to protect vitamins and nutrients. And this contributes to a healthy diet.







Comfort and flexibility









# Fits exactly to your needs.

Fridges and freezers are used daily. They have long been an essential part of our lives. And they should be as simple to use and convenient for you as possible. That's why we develop fridges and freezers that impress with their ease of use and flexibility – from the first door opening to the smallest features – to perfectly adapt to your needs.

#### As flexible as your life.

The features of our new appliances give you more freedom: The divisible glass shelf creates space for tall containers and carafes. Do you like things to be well organised? With the VarioBox and the VarioSafe you can store smaller objects neatly in the door or interior – always exactly at the height you like.

How about a cold drink? The glass shelf above the BioFresh safe transforms into a bottle shelf in the blink of an eye. The freezer compartment also ensures that you are well prepared with one of our new appliances: VarioSpace creates space for the largest turkey or the highest ice cream cake. Speaking of cake: For all those who love baking, our fridges and fridge-freezers offer enough space for a full baking tray.

#### Full of food. And convenience.

To ensure that all your food is always perfectly accessible, our appliances have telescopic rails in the fridge and freezer compartments which enable the drawers to slide back and forth with ease. And even once you have found all the ingredients, there is still further convenience. Thanks to the SoftSystem. This means that our doors always close gently and quietly, even if the force applied is a little too strong.







**Design** Design

# Timeless and elegant. Design for every kitchen.

Liebherr appliances are designed to inspire awe and integrate seamlessly into your kitchen. Multiple size configurations, installation options, and choice of stainless steel or personalized finishes allow for perfect integration into your dream kitchen.

#### Design meets functionality.

Puristic and timeless on the one hand. Elegant and exclusive on the other. The Liebherr design language blends design and functionality. The high quality glass and stainless steel components are impressive. The precise craftsmanship, an eye for detail, and the harmonious combination of materials, shapes and colours create an aesthetically pleasing end product.





Our LEDs provide a pleasant, bright light tone that makes your food look even more appetizing. As they have a very low heat generation, everything stays cool and fresh.



Just a fan? Not at all: the high glossy fan with ambient lighting ensures almost uniform temperature distribution and also includes the FreshAir activated charcoal filter. Functionality at its best.



12 1:

Performance in balance
Performance in balance

# Perfectly balanced: a powerful, complete package.

A good fridge is a real all-rounder: In addition to low power consumption and low noise levels, it should also offer plenty of space for food and have power reserves for when they are needed. For this reason we don't pay attention to just one factor, instead we have all usage situations in mind at once. The result: our appliances offer a balanced, perfectly coordinated complete package of energy efficiency, volume, noise level and cooling performance. So all good things come in fours for us.



#### **Efficiency**

Liebherr appliances occupy top positions in efficiency rankings. In this way, they protect the precious resources of our environment and, thanks to low electricity costs, your wallet too.

#### Volume

We have the perfect appliance for all family sizes, lifestyles and niche heights. From extra-large drawers to the smallest details, we make sure that no liter of volume goes to waste. For example, through space-saving lighting solutions recessed into the housing.

#### Noise level

Kitchen and living spaces are merging more and more in modern home design concepts. This underlines the importance of particularly quiet fridges. Our product range therefore offers a wide selection of extremely quiet appliances. Some even achieve the ultra-quiet level of 29 dB.

#### Refrigeration

Intelligent sensor technology constantly adapts the cooling performance to the current use – our appliance are very energy-efficient and economical in everyday use. At the same time, they offer considerable power reserves. For example, to cool a larger amount of food after the weekly shop and they are especially good for spontaneous visits. Drinks can be brought to a pleasant drinking temperature extremely quickly at the touch of a button.



### Sustainability inside.

With a Liebherr, you are not only doing something good for your food, but also for the environment. Because we are constantly working on reducing the consumption and electricity costs of the appliances even further – while maintaining their excellent performance.

For example, we test all functional parts for a service life of 15 years. And just in case, we guarantee a long availability of spare parts. This means that you can enjoy a Liebherr for many years – and at the same time take care of your ecological footprint: because a long service life significantly reduces the consumption of energy and resources.







# Flexible accessories for your appliance.

Discover the versatility of the Liebherr range of accessories for your fridge – and make your daily life a little bit easier.



#### Organisational systems

Set up your fridge how you want it: In addition to the VarioSafe and the VarioBoxes, we also offer optimal organisation with the variable egg tray and the FlexSystem. Thanks to our bottle shelves and the clip labelling system for your wine inventory, you can also keep track of your beverages.



#### Useful help of all kinds

From the handy butter dish to the easy-fill ice cube tray, from the freezer tray to the Vario energy-saving panel, our range of accessories offers plenty of smart solutions for serving food and keeping it fresh.



# Perfect installation – perfect appearance

Connecting sets, stainless steel frames and fronts with matching handles or drawers for accessories: the product range features many accessories that can help integrate a built-in appliance in the kitchen in an individual and visually perfect fashion.

Subject to availability. Please check with your local dealer for accessories available in your region.





## Unique features.



#### IceMaker

Are there any ice cubes left? An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.



#### SmartSteel

A specially treated stainless steel finish that significantly reduces the visibility of fingerprints, making it very easy to clean. Maintain this beautiful surface simply by wiping it with a soft, damp cloth.



#### SoftSystem

From breakfast to a midnight snack – a fridge needs to be open and closed on many occasions. And your Liebherr makes this is a lot of fun. With the SoftSystem, your fridge door closes softly and safely, and in a way which is pleasantly quiet and light. Bottles stored in the inside door remain securely in place – nothing rattles or wobbles.



#### **BioFresh**

BioFresh provides the perfect climate for long-lasting food storage. When stored at just over 0°C and at the ideal humidity level, fruit, vegetables, meat and fish all retain their nutritious vitamins for longe.



#### Touch-Display

The elegant MagicEye control system with the innovative, user-friendly Touch-electronic feature ensures that the temperature in the fridge compartment and freezer compartment is kept to the selected temperature. All the functions can be simply and conveniently operated at the touch of a finger.



#### PowerCooling system

Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.















For a clear overview. Even before you open the fridge.

## O Pure ♦ Plus △ Peak

Which appliance is right for me?
A customer question that is not always easy to answer. That's why we have made it even simpler for you choose what's right for you by dividing our product range into easy to understand series.

#### O Pure series

The Pure series is our basic class.
Simple, clear and perfectly equipped for all essential needs. The Pure series has been reduced to the essentials.
But full to the brim with the highest level of Liebherr quality.









#### ♦ Plus series

The Plus series builds on our Pure series and has many impressive additional details. Above all, plus means a plus in comfort. The appliances not only provide first-class refrigerating and freezing, they are also just that little bit smarter.

They help make much of the handling a little easier.

#### △ Peak series

The Peak series sits at the top of our series. Here the best is combined with the best. There is no compromise.

Innovative Liebherr technology meets high-end design and comfort solutions that are simply first in its class.

Appliances in this series are for those who want everything.





# BioFresh Professional 0°C **Professional** BioFresh 0°C 38

# Unique features.



#### PowerCooling

Do you want to be sure that the cold is distributed as evenly as possible in your refrigerator? If so, the PowerCooling system is what you need. The fan – as powerful as it is quiet – distributes the cold air efficiently throughout the entire refrigeration compartment.



#### LightTower

Enjoy an optimally illuminated interior: the LightTower shows off the food in its best light and is positioned so that all of your filled fridge is illuminated at all times. The flush mounting of the LightTower in the side walls means there is also more space for your food.



#### Touch & Swipe Display

Control of your Liebherr at your fingertips: thanks to the Touch & Swipe display, you can operate your refrigerator intuitively and with ease. Simply select functions such as SuperCool on the colour display by tapping and swiping. The temperature is controlled just as easily. And, what if you are not actively using the display? Well, it then shows you the actual temperature.



#### Meat & Dairy safe

Do you want the tender veal fillet or fresh milk to stay fresh for as long as possible? The BioFresh safes will ensur e this is the case. In the Meat & Dairy Safe, the temperature is close to 0 °C - ideal storage conditions for even the most delicate of foods. And best of all, everything is perfectly adjusted in the factory for immediate use – and for longer freshness.



#### IceMaker


Are there any ice cubes left?
An IceMaker means you never have to ask. With the IceMaker with fixed water connection, the water comes directly from the tap. The MaxIce function allows you to produce up to 1.5 kg of ice cubes a day. The ice cube separator helps to divide the drawer into any size you want – for example, ice cubes on the left, ice cream on the right – or just for ice cubes.



#### SuperSilent

Shhh – listen carefully. Your Liebherr is so quiet that you have to strain your ears to hear it. How is this achieved? All refrigeration components such as compressors, valves, fans and evaporators are optimised and perfectly adapted to one another. This means you only hear what you want to hear in your kitchen.





The sophisticated ICNh 5103 fits seamlessly into your kitchen: Elegant, slim, full of innovative features.

In the EasyFresh safe, you can store fresh fruits and vegetables in the best possible way. With its airtight seal, no moisture can escape and groceries stays as fresh and appetising as at the market stand.

Thanks to DuoCooling technology, this built-in fridge-freezer has two completely separate cooling circuits. This prevents any air exchange between the refrigerator and freezer compartments, keeping your food from drying out and eliminating odour transfers. Want to keep your homemade pizza or cake fresh? The ICNh 5103 even has room for a whole baking tray!

Technical data see page 96.

Duo Cooling

Easy Fresh

No Frost

Super Silent

LED

Touch-Display











# The smooth operator.

A unique pull-out model, the SUIKo 1550 Undercounter Fridge serves as a great option for kitchen islands.

Mounted on soft telescopic rails to enhance user-friendliness and convenience, it comes with a practical bottle shelf and removable fruit and vegetable drawer. The large drawer can also be divided into two equal-sized compartments, with further storage space underneath.

SuperCool function quickly reduces temperature which is perfect for rapidly cooling down freshly stored food.

The innovative LED light and special satin finish of the light cover produces a pleasant lighting atmosphere.

Technical data see page 100.









# Unique features.



#### **LED** lighting

The LED lighting in the individual wine compartments can be dimmed to give a pleasing ambient light inside the appliance. All Vinidor appliances are equipped with this innovative, no-heat LED lighting concept. The LED lighting can also be adjusted to operate continuously or in conjunction with door openings.



#### Handcrafted beechwood shelves

Our natural, handcrafted, and untreated beechwood shelves release no chemical aromas into the environment that could adversely influence the flavour of wine. In addition, wooden shelves contribute to the reduction of vibrations which allows wine to develop in peace.



#### Insulated glass door

Liebherr wine cabinets come with insulated glass doors with special UV protection. The double-glazed construction means that most of the damaging UV radiation is reflected away. In addition, LED lighting guarantees perfect illumination of the wine cabinet interior without risk of UV exposure.



#### FreshAir activated charcoal filter

Environmental odours can have a wine stored for longer periods.
Fresh air is supplied to Liebherr wine cabinets through the easily replaceable FreshAir activated charcoal filter to ensure optimal air quality.



#### Touch electronic control system

Our touch electronic control system is easy to navigate and enables tailored storage options. Temperature can be set between +5 °C and +20 °C based on your preference. In our multi-temperature models, each wine safe can be controlled independently, allowing different types of wine to be stored in one wine cabinet.



#### Compressor

Specially developed compressors installed in the wine cabinets from Liebherr ensure that the wines are stored in a particularly low vibration environment.















## Unique features.



### LED lighting

The tinted glass door provides not only a perfect UV protection, but also an optimum glance at wine. The integrated LED lighting ensures a pleasant illumination of the complete interior.



#### **Precision electronics**

The precise electronic control system is equipped with a digital temperature display. The door and temperature alarm alerts of any irregularities, e.g. when the door is left open. The integrated lock on the front panel prevents unwanted access to the stored bottles.



### Handcrafted beechwood shelves

Our natural, handcrafted, and untreated beechwood shelves release no chemical aromas into the environment that could adversely influence the flavour of wine. In addition, wooden shelves contribute to the reduction of vibrations which allows wine to develop in peace.



### **Presentation shelf**

The presentation shelf, equipped with wooden angles, is ideal for presenting wine and storing open bottles safely. Up to 6 bottles can be set upright on the flexible shelf. In addition further bottles can be stored lying down either behind or at the side.



### **Optimum humidity**

Liebherr wine cabinets guarantee an optimum humidity and this ensured the corks are supple in place whilst still allowing the wine to breathe in its maturing process.



### Activated charcoal filter

The easy replaceable active charcoal filter purifies the incoming air to obtain an optimum odour-free interior.





The WKb 4611 Wine Cabinet mimics the conditions of an underground wine cellar where its solid door creates a dark, undisturbed environment with zero exposure to UV light and heat fluctuations – perfect for maturing wines.

When humidity level falls below 50%, natural corks begin to shrink, causing oxygen to enter the bottle and damage stored wines. With a humidity range between 50% – 80%, Liebherr wine cabinets guarantee the ideal conditions to preserve the suppleness of wine corks which in turn prevents oxidation.

Your wines are always stored safely on our untreated beech wood shelves while an activated charcoal filter provides optimal air quality.

Technical data see page 108.





# Superb conditions for fine wines.

Our most compact model from the Liebherr Barrique series, the WKb 1712 Wine Cabinet can store up to 60 Bordeaux bottles. Wines are stored optimally on three untreated, height-adjustable beech wood shelves.

Wines are well protected from UV radiation thanks to a tinted insulated glass door while the activated charcoal filter provides optimum air quality and is easy to replace.

Energy-efficient LED lighting ensures even and pleasant illumination so that your favourite bottles are seen in the best light.

Technical data see page 110.







# Unique features.



### LED lighting in humidor

Liebherr's ZKes 453 has LED lighting with dimmer function incorporated in the glass door. As the LEDs emit virtually no heat, the cigars can be exposed to the light for long periods of time without damage.



### LED lighting in wine cabinet

For ideal presentation of your best wine, the WKes 653 features LED lighting with dimmer function and separate switch. As the LEDs emit minimal heat and no UV radiation, wine can be showcased bathed in light for lengthy periods without compromising its quality.



#### Fine cedar wood

Our ZKes 453 humidor features two presentation boxes and two wooden shelves crafted from Spanish cedar wood. The presentation boxes are perfect for storing loose cigars.



#### Wall mount option

Both the WKes 653 wine cabinet and ZKes 453 humidor can be wall-mounted as an attractive eye-catcher with convenient access for serving.



### Ideal humidity

The integrated water tray can accommodate one liter of distilled water for ideal humidity. Sensors regulate precise humidity level selected. The display informs when water needs to be replenished.



### Touch electronic control system

The perfect wine storage temperature is +8 °C to +12 °C. White wine should ideally be stored below +10 °C and red wine at up to +18 °C. Our electronic control system allows temperature to be set to the exact degree required between +5 °C to +20 °C.







Freestanding Freestanding





**SBSes 8486** 

Dra	miu	mD	luc

Energy consumption (kWh/y)	405
Max. No. of Bordeaux bottles (0.75l) *	48
Refrigerator capacity litre	366
BioFresh comp. litre	132
Wine comp. litre	153
Freezer capacity litre	126
Number of shelves / Number of door racks	10/5
Number of BioFresh drawers	3 with LED lighting
Number of freezer drawers	5 with LED lighting
Electronic control	2.4" TFT-colour temp. display, touch electronic
Door/side walls	stainless steel with SmartSteel/stainless steel with SmartSteel
Refrigerator temperature range °C	+2°C to +9°C
Freezer temperature range °C	-14°C to -26°C
Wine temperature range °C	+5°C to +20°C
Temperature alarm / Defrost type	visual and acoustic / automatic
Interior light	LED ceiling lighting with dimmer function
Door alarm	visual and acoustic
IceMaker	fixed water connection 3/4"
Ice cube output kg/24h	1.2
SoftSystem	yes
Door hinges	left / right
Product dimensions (H/W/D) cm	185/121/66.5
Net weight kg / Voltage V/Hz	159 / 220 - 240/50/60



88



















### Installation Diagram







**SBSes 8484** 

PremiumPlus Energy consumption (kWh/y) 398 538 Refrigerator capacity litre BioFresh comp. litre 304 126 Freezer capacity litre Number of shelves Number of door racks 5 with LED lighting Number of freezer drawers Number of BioFresh drawers 5 with LED lighting Electronic control 2.4" TFT-colour temp. display, touch electronic Door/side walls stainless steel with SmartSteel / stainless steel with SmartSteel Refrigerator temperature range °C +2°C to +9°C Freezer temperature range °C -14°C to -26°C visual and acoustic Temperature alarm Defrost type LED ceiling lighting with dimmer function Interior light Door alarm visual and acoustic IceMaker fixed water connection 3/4" Ice cube output kg/24h 1.2 SoftSystem yes Door hinges left / right Product dimensions (H/W/D) cm 185/121/66.5 Net weight kg 163.6 Voltage V/Hz 220-240/50/60



















Freestanding Freestanding



**SBSbs 8673** 

Premium

Energy consumption (kWh/y)	405
Refrigerator capacity litre	367
BioFresh comp. litre	133
Freezer capacity litre	262
Number of shelves	6
Number of door racks	5
Number of BioFresh drawers	3 with LED lighting
Number of freezer drawers	9
Electronic control	2.4" TFT-colour temp. display, touch electronic
Door/side walls	BlackSteel with SmartSteel / BlackSteel with SmartSteel
Refrigerator temperature range °C	+2°C to +9°C
Freezer temperature range °C	-14°C to -28°C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light	LED interior lighting
Door alarm	visual and acoustic
IceMaker	fixed water connection 3/4"
Ice cube output kg/24h	0.8
SoftSystem	yes
Door hinges	left / right
Product dimensions (H/W/D) cm	185/121/66.5
Net weight kg	164.5
Voltage V/Hz	220-240/50/60





Installation Diagram































Premium Energy consumption (kWh/y) 405 Refrigerator capacity litre 367 133 BioFresh comp. litre 262 Freezer capacity litre Number of shelves Number of door racks 3 with LED lighting Number of BioFresh drawers Number of freezer drawers Electronic control 2.4" TFT-colour temp. display, touch electronic Door/side walls stainless steel with SmartSteel / stainless steel with SmartSteel Refrigerator temperature range °C +2°C to +9°C Freezer temperature range °C -14°C to -28°C Temperature alarm visual and acoustic Defrost type automatic **LED** interior lighting Interior light Door alarm visual and acoustic IceMaker fixed water connection 3/4" Ice cube output kg/24h 0.8 SoftSystem yes Door hinges left / right





### Installation Diagram

Product dimensions (H/W/D) cm

Net weight kg

Voltage V/Hz





90

185/121/66.5

220-240/50/60

164

Freestanding





BLU

Door alarm

Door hinges


Net weight kg

Voltage V/Hz

Product dimensions (H/W/D) cm

Performança	Comfort
Energy consumption (kWh/y)	234
Refrigerator capacity litre	275
Freezer capacity litre	106
Number of shelves	4
Number of door racks	3
Number of BioFresh drawers	2
Number of freezer drawers	3
Electronic control	MagicEye with LCD temp. display, touch electronic
Door/side walls	stainless steel with SmartSteel/silver
Refrigerator temperature range °C	+3°C to +9°C
Freezer temperature range °C	-14°C to -26°C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light	LED ceiling lighting

Installation Diagram





BLU

CNef 4315

	202
	220
	101
	4
	3
	3
	1
2.4" TFT-monochrome temp. display, touch	electronic
stainless steel with SmartSte	eel/silver
+1°	°C to +9°C
-14°C	C to -26°C
visual and	d acoustic
1	automatic
LED ceilin	ng lighting
visual and	d acoustic
right,	reversible
185,	/60/66.5
	74.8
220-24	40/50/60



acoustic


right, reversible 201 /70 / 66.5

220-240/50





Installation Diagram



Fully Integrated




# ICBNh 5173


Energy consumption (kWh/y)	181
Refrigerator capacity litre	172
BioFresh comp. litre	69
Freezer capacity litre	67
Number of shelves	4
Number of door racks	2
Number of freezer drawers	3
Number of BioFresh drawers	2 with LED lighting
Electronic control	2.4" TFT-colour display, Touch & Swipe
Refrigerator temperature range °C	+3°C to +9°C
Freezer temperature range °C	-15°C to -26°C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light	LED light panel on both sides
Door alarm	visual and acoustic
IceMaker	fixed water connection 3/4"
Ice cube output kg/24h	1.2
SoftSystem	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	177 / 55.9 / 54.6
Cut out dimensions (H/W/D) cm	177.2-178.8 / 56-57 / 55
Net weight kg	78
Voltage V/Hz	220 - 240/50-60







\* Recommended: 560 mm






# ICNh 5173 Peak

Energy consumption (kWh/y)	176
Refrigerator capacity litre	174
Freezer capacity litre	69
Number of shelves	6
Number of door racks	3
Number of freezer drawers	3 with LED lighting
Number of EasyFresh drawers	1
Electronic control	2.4" TFT-colour display, Touch & Swipe
Refrigerator temperature range °C	+2°C to +9°C
Freezer temperature range °C	-15 °C to -26 °C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light	LED light panel on both sides
Door alarm	visual and acoustic
SoftSystem	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	177/55.9/54.6
Cut out dimensions (H/W/D) cm	177.2-178.8/56-57/55
Net weight kg	66
Voltage V/Hz	220-240/50/60







\* Recommended: 560 mm

94 95

**Fully Integrated Fully Integrated** 




### ICNh 5103 Pure

25	Energy consumption (kWh/y)
18	Refrigerator capacity litre
6	Freezer capacity litre
	Number of shelves
	Number of door racks
	Number of freezer drawers
	Number of EasyFresh drawers
LCD display monochrome, touch electron	Electronic control
+2°C to +9°	Refrigerator temperature range °C
-15°C to -26°	Freezer temperature range °C
visual and acoust	Temperature alarm
automati	Defrost type
LED ceiling lightin	Interior light
visual and acoust	Door alarm
right, reversibl	Door hinges
177/55.9/54.	Product dimensions (H/W/D) cm
177.2-178.8 / 56-57 / 5	Cut out dimensions (H/W/D) cm
62.	Net weight kg
220-240/50-6	Voltage V/Hz




Installation Diagram



1**7**8 SIGN 3576
Premium

331	Energy consumption (kWh/y)
207	Freezer capacity litre
9	Number of freezer drawers
MagicEye with LCD temp. display, touch electronic	Electronic control
-15 °C to -28 °C	Freezer temperature range °C
visual and acoustic	Temperature alarm
automatic	Defrost type
LED interior lighting	Interior light
acoustic	Door alarm
fixed water connection 3/4"	IceMaker
0.8	Ice cube output kg/24h
yes	SoftSystem
left, reversible	Door hinges
177-178.6 / 55.9 / 54.4	Product dimensions (H/W/D) cm
177.2-178.8 / 56-57 / 55	Cut out dimensions (H/W/D) cm
73.9	Net weight kg
220-240/50	Voltage V/Hz







SIKB 3550 Premium


Energy consumption (kWh/y)	149
Refrigerator capacity litre	308
BioFresh comp. litre	92
Number of shelves	8
Number of door racks	5
Number of BioFresh drawers	3 with LED lighting
Electronic control	MagicEye with LCD temp. display, touch electronic
Refrigerator temperature range °C	+3°C to +9°C
Defrost type	automatic
Interior light	LED light column on both sides
Door alarm	acoustic
SoftSystem	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	177-178.6/55.9/54.4
Cut out dimensions (H/W/D) cm	177.2-178.8 / 56-57 / 55
Net weight kg	75
Voltage V/Hz	220-240/50



Installation Diagram







\* Recommended: 560 mm

96

\* Recommended: 560 mm

Fully Integrated



### ECBN 6256

PremiumPlus

Energy consumption (kWh/y)	487
Refrigerator capacity litre	357
BioFresh comp. litre	68
Freezer capacity litre	114
Number of shelves / Number of doc	or racks 4/6
Number of freezer drawers	2 with LED lighting
Number of BioFresh drawers	2 with LED lighting
Electronic control	MagicEye with digital temp. display, touch electronic
Refrigerator temperature range °C	+3°C to +9°C
Freezer temperature range °C	-14°C to -28°C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light L	ED light column on both sides and LED ceiling lighting
Door alarm	acoustic
Water filter	yes
IceMaker	fixed water connection 3/4"
Ice cube output kg/24h	1.3
SoftSystem	yes
Door hinges	left/right
Product dimensions (H/W/D) cm	202.7/91/61
Cut out dimensions (H/W/D) cm	203.2-207.2/91.5/63.5
Net weight kg	161
Voltage V/Hz	220 - 240/50




### ECBN 6156


PremiumPlus

Energy consumption (kWh/y)	496
Refrigerator capacity litre	364
BioFresh comp. litre	69
Freezer capacity litre	116
Number of shelves	4
Number of door racks	6
Number of freezer drawers	2 with LED lighting
Number of BioFresh drawers	2 with LED lighting
Electronic control	MagicEye with digital temp. display, touch electronic
Refrigerator temperature range °C	+3°C to +9°C
Freezer temperature range °C	-14 °C to -28 °C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light I	ED light column on both sides and LED ceiling lighting
Door alarm	acoustic
Water filter	yes
IceMaker	fixed water connection 3/4"
Ice cube output kg/24h	1.3
Door hinges	right
Product dimensions (H/W/D) cm	202.7/91/61
Cut out dimensions (H/W/D) cm	203.2-207.2/91.5/63.5
Net weight kg	164
Voltage V/Hz	220 - 240/50












### **ECBN 5066**


PremiumPlus

Energy consumption (kWh/y)	304
Refrigerator capacity litre	276
BioFresh comp. litre	57
Freezer capacity litre	103
Number of shelves	4
Number of door racks	3
Number of freezer drawers	2 with LED lighting
Number of BioFresh drawers	2 with LED lighting
Electronic control	MagicEye with digital temp. display, touch electronic
Refrigerator temperature range °C	+3°C to +9°C
Freezer temperature range °C	-14°C to -28°C
Temperature alarm	visual and acoustic
Defrost type	automatic
Interior light	LED light column on both sides
Door alarm	acoustic
Water filter	yes
IceMaker	fixed water connection 3/4"
Ice cube output kg/24h	1.0
Door hinges	right, reversible
Product dimensions (H/W/D) cm	202.4/75.7/61
Cut out dimensions (H/W/D) cm	203.2-207.2 / 76.2 / 63.5
Net weight kg	147
Voltage V/Hz	220-240/50



### Installation Diagram





98 99

Undercounter Undercounter




82<sup>†</sup>88

# SUIKo 1550 Premium

Energy consumption (kWh/y)	158
Refrigerator capacity litre	124
Number of shelves	2
Number of fruit and vegetable drawers	1
Electronic control	MagicEye with LCD temp. display, key electronic
Refrigerator temperature range °C	+2°C to +9°C
Defrost type	automatic
Interior light	LED ceiling lighting
Door alarm	visual and acoustic
Door type	steel
Door hinges	pullout
Product dimensions (H/W/D) cm	82-88/59.7/55
Cut out dimensions (H/W/D) cm	82-88/60/55
Net weight kg	41.5
Voltage V/Hz	220 - 240/50
	<u> </u>
















### **SUIK 1510**

Comfort

Energy consumption (kWh/y)	147
Refrigerator capacity litre	136
Number of shelves	4
Number of door racks	2
Number of fruit and vegetable drawers	1
Electronic control	MagicEye with LCD temp. display, key electronic
Refrigerator temperature range °C	+2°C to +9°C
Defrost type	automatic
Interior light	LED interior lighting
Door alarm	visual and acoustic
Doortype	steel
SoftSystem	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	82-88/59.7/55
Cut out dimensions (H/W/D) cm	82-88/60/55
Net weight kg	34.5
Voltage V/Hz	220-240/50/60






Wine Cabinets
Wine Cabinets



### WTes 5872

Vinidor





### WTes 5972


Vinidor

Energy consumption (kWh/y)	248
Total capacity litre	526
Max. No. of Bordeaux bottles (0.751) *	211
Total no. of storage shelves (incl. bottom c	ompartment) 10
Shelves on telescopic rails	8
Shelf material	beech wood shelves
Presentation shelf	1
Electronic control LCD temp	. display for both wine zones, touch electronic
Temperature range °C	+5°C to +20°C
Temperature zones	2
Temperature alarm	visual and acoustic
Interior light	LED lighting permanently on, dimmable
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	glass door with stainless steel frame
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	192/70/74.2
Net weight kg	125
Voltage V/Hz	220-240/50



### Installation Diagram

102










### Installation Diagram






WKt 6451

GrandCru


143	Energy consumption (kWh/y)
625	Total capacity litre
312	Max. No. of Bordeaux bottles (0.75l) *
7	Total no. of storage shelves (incl. bottom compartment)
beech wood shelves	Shelf material
MagicEye with digital temp. display, key electronic	Electronic control
+5°C to +20°C	Temperature range °C
1	Temperature zones
visual and acoustic	Temperature alarm
LED interior lighting	Interior light
acoustic	Door alarm
yes	Safety thermostat
yes	Activated Charcoal filter
full door, terra	Door type
yes	Integrated lock
right, reversible	Door hinges
193/74.7/75.9	Product dimensions (H/W/D) cm
87	Net weight kg
220-240/50	Voltage V/Hz



### Installation Diagram



\*The specified number of bottles (=maximum capacity) is only possible with this arrangement of the height-adjustable shelves.




\*These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 I) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).

Wine Cabinets
Wine Cabinets



### **EWTdf 3553**

Vinidor





WKes 4552

GrandCru

117	Energy consumption (kWh/y)
478	Total capacity litre
201	Max. No. of Bordeaux bottles (0.75l
npartment) 6	Total no. of storage shelves (incl. b
beech wood shelves	Shelf material
Eye with digital temp. display, key electronic	Electronic control
+5 °C to +20 °C	Temperature range °C
1	Temperature zones
visual and acoustic	Temperature alarm
LED lighting permanently on	Interior light
acoustic	Door alarm
yes	Safety thermostat
yes	Activated Charcoal filter
d glazed door, S/Steel frame Stainless steel	Door type
yes	Integrated lock
right	Door hinges
165 / 70 / 74.2	Product dimensions (H/W/D) cm
87	Net weight kg
	Voltage V/Hz



WKr 4211

Vinothek

108	Energy consumption (kWh/y)
409	Total capacity litre
200	Max. No. of Bordeaux bottles (0.75l) *
6	Total no. of storage shelves (incl. bottom compartment)
beech wood shelves	Shelf material
l temp. display, key electronic	Electronic control MagicEye with digita
+5°C to +20°C	Temperature range °C
1	Temperature zones
visual and acoustic	Temperature alarm
light bulb	Interior light
acoustic	Door alarm
yes	Safety thermostat
yes	Activated Charcoal filter
Full door, bordeaux red black	Door type
yes	Integrated lock
right, reversible	Door hinges
165/60/73.9	Product dimensions (H/W/D) cm
66	Net weight kg
220-240/50	Voltage V/Hz



WKb 4212

Vinothek


Energy consumption (kWh/y)	177
Total capacity litre	427
Max. No. of Bordeaux bottles (0.751) *	200
Total no. of storage shelves (incl. bottom comp	partment) 6
Shelf material	beech wood shelves
Presentation shelf	1
Electronic control MagicEy	re with digital temp. display, key electronic
Temperature range °C	+5°C to +20°C
Temperature zones	1
Temperature alarm	visual and acoustic
Interior light	LED interior lighting
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	Insulated glazed door, black frame
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	165 / 60 / 73.9
Net weight kg	79
Voltage V/Hz	220-240/50




104





















\* These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 I) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).

Wine Cabinets **Wine Cabinets** 






# UWTgb 1682

Energy consumption (kWh/y)	146
Total capacity litre	123
Max. No. of Bordeaux bottles (0.75)	)* 34
Total no. of storage shelves (incl. b	ottom compartment) 5
Shelf material	beech wood shelves
Electronic control	MagicEye with digital temp. display, key electronic
Temperature range °C	+5 °C to +20 °C
Temperature zones	2
Temperature alarm	visual and acoustic
Interior light	LED interior lighting
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	Insulated glazed door with TipOper
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	82-87/60/58
Net weight kg	48
Voltage V/Hz	220-240/50



### Installation Diagram

106






# UWTes 1672 Vinidor

Energy consumption (kWh/y)	190
Total capacity litre	94
Max. No. of Bordeaux bottles (0.751) *	34
Total no. of storage shelves (incl. bottom co	ompartment) 5
Shelves on telescopic rails	3
Shelf material	beech wood shelves
Electronic control	MagicEye with digital temp. display for
	both wine zones, key electronic
Temperature range °C	+5°C to +20°C
Temperature zones	2
Temperature alarm	visual and acoustic
Interior light	LED lighting permanently on, dimmable
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	glass door with stainless steel frame
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	81.8 / 59.7 / 57.7
Cut out dimensions (H/W/D) cm	82-87/60/58
Net weight kg	49
Voltage V/Hz	220-240/50



### Installation Diagram





### **UWKes 1752**

GrandCru

Energy consumption (kWh/y)	145
Total capacity litre	112
Max. No. of Bordeaux bottles (0.751)	* 46
Total no. of storage shelves (incl. bo	ottom compartment) 4
Shelves on telescopic rails	3
Shelf material	beech wood shelves
Electronic control	MagicEye with digital temp. display, key electronic
Temperature range °C	+5°C to +20°C
Temperature zones	1
Temperature alarm	visual and acoustic
Interior light	LED lighting permanently on
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	glass door with stainless steel frame
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	81.8 / 59.7 / 57.7
Cut out dimensions (H/W/D) cm	82-87/60-61/58
Net weight kg	44
Voltage V/Hz	220-240/50



### WKEes 553

GrandCru


Energy consumption (kWh/y)	130
Total capacity litre	47
Max. No. of Bordeaux bottles (0.75l) *	18
Total no. of storage shelves (incl. bottom cor	mpartment) 3
Shelves on telescopic rails	2
Shelf material	beech wood shelves
Electronic control	LCD temp. display, touch electronic
Temperature range °C	+5°C to +20°C
Temperature zones	]
Temperature alarm	visual and acoustic
Interior light	LED lighting permanently on, dimmable
Door alarm	acoustic
Activated Charcoal filter	yes
Door type	glass door with stainless steel frame
Door hinges	right, reversible
Product dimensions (H/W/D) cm	44.1/55.7/52.2
Cut out dimensions (H/W/D) cm	45/56/55
Net weight kg	30
Voltage V/Hz	220-240/50









### Installation Diagram















**Liebherr Barrique Wine Cabinets Liebherr Barrique Wine Cabinets** 



WKb 4612 Liebherr Barrique






WKb 4611 Liebherr Barrique


175	Energy consumption (kWh/y)
336	Total capacity litre
195	Max. No. of Bordeaux bottles (0.75l) *
7	Total no. of storage shelves (incl. bottom
beech wood shelves	Shelf material
gital temp. display, key electronic	Electronic control Mag
+5°C to +20°C	Temperature range °C
1	Temperature zones
visual and acoustic	Temperature alarm
light bulb	Interior light
acoustic	Door alarm
yes	Safety thermostat
yes	Activated Charcoal filter
full door with handle, black	Door type
yes	Integrated lock
right, reversible	Door hinges
184.2/65.7/66.3	Product dimensions (H/W/D) cm
68.5	Net weight kg
220-240/50	Voltage V/Hz






108







WKgb 4113
Liebherr Barrique

Energy consumption (kWh/y)	178
Total capacity litre	293
Max. No. of Bordeaux bottles (0.75l) *	168
Total no. of storage shelves (incl. bot	tom compartment) 6
Shelf material	beech wood shelves
Presentation shelf	1
Electronic control	MagicEye with digital temp. display, key electronic
Temperature range °C	+5 °C to +20 °C
Temperature zones	1
Temperature alarm	visual and acoustic
Interior light	LED lighting permanently on
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	Full glass door with heating function
Integrated lock	yes
Door hinges	right
Product dimensions (H/W/D) cm	164.5 / 65.7 / 66.3
Net weight kg	78
Voltage V/Hz	220-240/50




Liebherr	Barrique


Energy consumption (kWh/y)	178
Total capacity litre	293
Max. No. of Bordeaux bottles (0.751)	* 168
Total no. of storage shelves (incl. b	ottom compartment) 6
Shelf material	beech wood shelves
Presentation shelf	1
Electronic control	MagicEye with digital temp. display, key electronic
Temperature range °C	+5°C to +20°C
Temperature zones	1
Temperature alarm	visual and acoustic
Interior light	LED interior lighting
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	Insulated glazed door, black frame
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	164.5/65.7/66.3
Net weight kg	78
Voltage V/Hz	220-240/50











\*These models are only bound for storing wine. Maximum DIN norm bordeaux bottles capacity (0.75 I) as per norm NF H 35-124 (H: 300.5 mm, Ø 76.1 mm).

Design & Lifestyle **Liebherr Barrique Wine Cabinets** 




WKb 1712 Liebherr Barrique

Energy consumption (kWh/y)	149
Total capacity litre	121
Max. No. of Bordeaux bottles (0.751) *	60
Total no. of storage shelves (incl. bottom compartment)	3
Shelf material	beech wood shelves
Electronic control	MagicEye with digital temp. display, key electronic
Temperature range °C	+5°C to +20°C
Temperature zones	1
Temperature alarm	visual and acoustic
Interior light	LED interior lighting
Door alarm	acoustic
Safety thermostat	yes
Activated Charcoal filter	yes
Door type	glass door with handle, frame black
Integrated lock	yes
Door hinges	right, reversible
Product dimensions (H/W/D) cm	85/65.7/66.3
Net weight kg	45
Voltage V/Hz	220 - 240/50





### Installation Diagram






# WKes 653 GrandCru

Energy consumption (kWh/y)	7!
Total capacity litre	38
Max. No. of Bordeaux bottles (0.75l) *	12
Total no. of storage shelves (incl. bottom com	partment)
Shelf material	beech wood shelves
Electronic control	LCD temp. display, touch electronic
Temperature range °C	+5°C to +20°C
Temperature zones	į
Temperature alarm	visual and acoustic
Interior light	LED lighting permanently on, dimmable
Door alarm	acoustic
Activated Charcoal filter	yes
Door type glass door	with stainless steel frame and SmartStee
Integrated lock	yes
Door hinges	righ
Product dimensions (H/W/D) cm	61.2/42.5/47.8
Net weight kg	28
Voltage V/Hz	220-240/50





### Installation Diagram





**ZKes 453** 

Humidor

Energy consumption (kWh/y)	162
Total capacity litre	39
Total no. of storage shelves (incl. bottom o	compartment) 2
Shelf material	Spanish cedar wood shelves
Electronic control	LCD temp. display, touch electronic
Temperature range °C	+16°C to +20°C
Temperature zones	1
Temperature alarm	visual and acoustic
nterior light	LED lighting permanently on, dimmable
Door alarm	acoustic
Activated Charcoal filter	yes
Door type glass o	loor with stainless steel frame and SmartSteel
ntegrated lock	yes
Door hinges	right
Product dimensions (H/W/D) cm	61.2 / 42.5 / 47.8
Net weight kg	30
/oltage V/Hz	220-240/50



