

How to connect your appliance from Liebherr


01

Register your appliance in the app and start the installation process.



02


Ensure that the SmartDeviceBox is inserted. Therefore remove the cover of your appliance and plug in the SmartDeviceBox. You can attach the cover again afterwards.




03

Check the WiFi symbol at you appliance.

Right:




False:



WiFi icon is orange.

Reset the WiFi in the WiFi settings of you appliance.

No WiFi icon? After plugging in the SmartDeviceBox it may take a moment until the SmartDeviceBox is recognized. If the WiFi icon doesn't appear after some time, check in the WiFi settings if it is activated.




How to connect your appliance from Liebherr

04

With moving to the next step, the connection starts. If one of these queries arises, choose ok/allow. Without the permission the connection can not be established.


(After allowing once, the query doesn't arise again.)



05

If your mobile device finds the network, click „join“ to connect.

Continue at step 9.




06

If your mobile device cannot find the network, you need to connect manually.

According to the version of the SmartDeviceBox, you need a password. Copy it to your clipboard by pressing the button. Afterwards go to the WiFi settings of your mobile device by clicking the second button.


If there is no button for the password you can directly go to the WiFi settings.



How to connect your appliance from Liebherr


07

There will be a network starting with LH_ or LHSDB_ in your wifi menu. Establish the Connection. For the network starting with LHSDB_ you need the password.



08

After the connection is established you can return to the SmartDevice app.



09


The app will continue the connection.



How to connect your appliance from Liebherr


10

Choose your network from the list and enter the password.



11

Your appliance will now connect to this network.



12

After the connecting is established successfully you can go to the dashboard by clicking the button. You can see the available functions of your appliance.

